

v/kh{kd dk dk; kzy;]
i Vuk efmDy dkllyst vLi rky] i Vuka

Kki kad -----@i Vuk] fnukad -----2016

fufonk I upuk

i Vuk efmDy dkllyst vLi rky] i Vuk ds foHkUu bdkbz; ka ea vofLFkr i gkus
e'khu@midj.kka ds ejEefr grq egjcn , oa Vfr fufonk] fufonk i d'ku dh frffk l s
bDdhl (21) fnuka ds vlnj fucf/kr Mkd@Li hM i kLV ds }kjk vkef=r fd; k tkrk gA bl
l cdk ea foLr tkudkj h v/kh{kd dk; kzy; l s fufonk i d'ku ds i'pkr~l Ei dz LFkfi r dj
dk; kzy; l e; kof/k ea i klr dj l drs gA bl fufonk l cdkh l Hkh tkudkfj; k; ocl kbV
(<http://prdbihar.gov.in/>, <http://pmch.in/>) ij Hkh ns[kh tk l drh gA

v/kh{kd
i Vuk efmDy dkllyst vLi rky] i Vuk

v/kh{kd dk dk; kzy; }

i Vuk efMdy dkllyst vLi rky] i VukA

Kki kad -----@i Vuk] fnukad -----2016

fufonk I upuk

i Vuk efMdy dkllyst vLi rky] i Vuk ds foHkku bdkbz ka ea vofLFkr i jkus e'khu@mi dj. kka ds ejEefr grq egjcn , oa Vfdr fufonk] fufonk idk'ku dh frfFk l s bDdhl (21) fnuka ds vlnj fucfi/kr Mkd@Li hM i kLV ds }kjk vkefi=r fd; k tkrk gA bl l cadk ea foLrr tkudkjh v/kh{kd dk; kzy; l s fufonk idk'ku ds i 'pkr~l Ei dz LFkfi r dj dk; kzy; l e; kof/k ea i klr dj l drs gA bl fufonk l cadk l Hkh tkudkfj; k; ocl kbV (prdbihar.gov.in./pmch.in) ij Hkh ns[kh tk l drh gA

v/kh{kd

i Vuk efMdy dkllyst vLi rky] i Vuk

fufonk 'kr%

1- fufonk nks idkj dh gkxh % (1) rdfudh (2) foUkh; A

Rkdfudh fufonk

2- fufonknkrk dk uke , oa i jk i rk nj Hkk" k l a; k ds l kFkA

3- fcgkj okf.kT; dj ea l cadk/kr dk; l grq fucdku i ek.k&i = l ayXu djuk vfuok; l gksxA fcgkj ds ckgj ds o s QeZ tks orZeku ea fcgkj okf.kT; dj ea fucfi/kr ugha gA os Hkh fufonk ns l drs gA ij Urq vxj , l s QeZ foUkh; fufonk ea fuEu nj ea i Fke LFkku (L1) ij vkrs gA rks mlga dk; l dk vkn's k feyus ds i dz fcgkj okf.kT; dj ea fucfi/kr gkus dk i ek.k&i = dk; kzy; ea tek djuk vfuok; l gksxA

4- m | ksx foHkx ea l cadk/kr dk; l grq i nUk i ath; u i = , oa v | ru dk; j r jgus dk i ek.k&i = A

5- i dz ea fd; s x, dk; k dk i fronu , oa dk; l l rks'ktud gkus dk i ek.k&i = A

6- e'khu@mi dj. k ds ejEefr grq vxz/ku dh jkf'k ds : lk ea rdfudh fufonk ea 1]00]000=00 (, d yk[k) : i ; s ek= dk cad Mk"V tks v/kh{kd] i Vuk efMdy dkllyst vLi rky] i Vuk dks i frHkr gksk] l ayXu djuk gksxA

7- vxj y?kq v | ksx bdkbz gS rks ml dk v | ru dk; j r i ek.k&i = A

8- l foZ VDI foHkx ea l cadk/kr dk; l grq fucdkuA

9- uu dufHkD'ku l fVfQdV , oa fufonknkrk ; k QeZ@Agency ds dkyh l uph ea ugha gkus , oa fookn dk U; kf; d {ks= i Vuk gkus dk i ek.k i =@'ki Fk i = rdfudh fufonk ds l kFk l ayXu djuk gksxA

- 10- fufonk Vfdr , oa vvx&vyx fyQkQs ea egjcln gksxk vksj fyQkQs ds mij Li "V : i l s rdfudh fufonk , oa foUkh; fufonk vfdr djuk gksxA fufonk mi yC/k dj; s x; s l ph ds Øe ea gh nsuk gksxA v/kj's fufonk ij fopkj ugha fd; k tk, xkA
- 11- fufonk ea l ayXu l Hkh dkx tkr i "Vkfdr gksuk pkfg, , oa dgy i "Bka dh l a; k rFkk fooj.kh fufonk ds vxl kj.k i = ij vfdr djrs gq ml s i æf.kr djuk gksxA
- 12- Je foHkx ea l cf/kr dk; Z grq fucdku fcgkj l s ckgj ds oß s QeZ tks oræku ea Je foHkx ea fucf/kr ugha gñ mlga dk; Z dk vkn's k feyus ds i wZ Je foHkx ea fucf/kr gkus dk i æ.k&i = dk; kÿ; ea tek djuk gksxA
- 13- e'khu@mi dj.k [kjc gkus dh fLFkr ea QeZ dks ejEefr grq dk; Z vkn's k fuxr fd; k tk, xk rRi 'pkr- e'khu dh ejEefr dj l EcfU/kr foHkx l s dk; Z i æ.k&i = %ofd&½ l fVQds/ ds l kFk foi = i Lrq djxkA
- 14- dk; kñ's k fuxr gkus ds mijkar vxj QeZ }kjk dk; Z 'kq ugha fd; k tkrk gS ; k chip ea dk; Z cln dj fn; k tkrk gS rks mudk dk; Z vkn's k jnñ djrs gq muds }kjk i wZ ea fd; s x; s dk; kZ dk Hkqarku ugha fd; k tk; sxk , oa muds fo:) fu; keku phy dkj bkbZ dh tk; sxkA
- 15- dk; Z vkn's k fuxr gkus ds mijkar e'khu@mi dj.k ds fcuk rduhfd dkj.k cln jgus dh fLFkr ea 100%400 : i ; k ¼, d l kS : i ; k½ l kr fnuka l s vf/kd cln gkus dh fLFkr ea nks xqkk , oa , d ekg l s vf/kd cln gkus dh fLFkr ea pkj xqkk i frfnu ds nj l s ; k v/kh{k d egkn; }kjk fu/kkZjr jkf'k n.M ds : i ea vki dks Hkqarku gkus okyh jkf'k ds , d eqr ol ny dj fy; k tk; sxkA oki'kx e'khu %Qyfl Lve½ , oa vl; e'khuka ds cln gkus ij fcuk rduhfd dkj.k ds ejEefr ea nñh gkus ij ckgj l s ejEer djkus rFkk /ky/kbZ djkus ij gkus okys [kpZ ; k v/kh{k d@l cf/kr mi k/kh{k d }kjk n.M ds : i ea vuq kfi r jkf'k Hkqarku gkus okyh jkf'k l s , d eqr ol ny dj fy; k tk; sxkA

foUkh; fufonk

- 1- foUkh; fufonk ea fufonk l ph ea vfdr Øekuq kj e'khuka dk uke ml ds ejEefr dk nj , oa yxus okys i kvZ dk Hkh nj vfdr djuk gksxA
- 2- fdl h dk; Z ds fy, , d l s vf/kd nj vuqkU; ugha gksxk bl ds vfrfjDr foUkh; fufonk ea vksj dkbZ dkx t l ayXu ugha fd; k tk; sxkA
- 3- Ø; l febr ea rduhfd fufonk dh Lohdr ds i 'pkr-gh foUkh; fufonk [kkyk tk; sxkA
- 4- Ø; l febr@v/kh{k d dks fdl h Hkh fufonk dks j i djus dk vf/kdkj l jf{kr gksxA

v/kh{k d
i Vuk efMdy dkllyst vLi rky] i Vuk

LIST OF ANNUAL MAINTENANCE OF MACHINE/EQUIPMENTS (WITH PARTS)

1. Suction Machine
 - (a) Suction Machine (M.T.P)
2. Cold Light Source
3. Ceiling O.T. Light
4. O.T. Table Hydraulic
5. Boiler
6. Big Sterilizer
7. Anesthesia Machine
 - (a) Boyle's F
 - (b) Boyle's Major
 - (c) Datex Ohmeda Excell
8. Bone Drill Machine
9. Fumigation
10. High Pressure Autoclave Machine
11. Nebulizer Machine
12. Laryngoscope
13. Autoclave Machine
14. Head Light
15. Semi Auto analyzer (Bayer)
16. Semi Electrolyte Analyzer (Bayer)
17. Washing Machine (Full System) (Washing Machine - 2 Dryer- 2 Hydro 2)
18. Refrigerator (165 Ltr. With Stab) (300 Ltr. Godrej with Stab) (265 Ltr. With Stab)
19. Incubator
20. Hot Air Oven (Yorko)
21. Water bath
22. Centrifuge Machine
23. Voltage Stabilizer (4 KVA, 3KVA, 0.5 KVA, Sorro type)
24. Electric Sterilizer
25. Microscope Binocular (Micron), Operating Microscope

26. Electric Blower & Heater
27. U.P.S.
28. Chemical Balance (a) Electronic Balance (b) Electrical Balance
29. Auto Pipette
30. S.W. Diathermy (500 Watt, 250 Watt)
31. S.W. Diathermy (500 Watt Philips, Hospital Model)
32. Whirlpool Bath
33. Electrical Stimulation
34. B.P. Instrument
35. Surgical Diathermy
36. Cautery Machine
37. Phototherapy
38. D.C. Defibrillator
39. C. Arm- Machine
40. E.C.G Machine
41. Cardiac Monitor

**Superintendent
Patna Medical College & Hospital,
Patna**